Journal of MOLECULAR BIOLOGY

EDITOR-IN-CHIEF
J. C. KENDREW

ASSISTANT EDITOR
S. BRENNER

EDITORIAL BOARD
M. S. Bretscher
C. R. Cantor
P. Chambon
M. Gellert
M. Gottesman
R. Huber
H. E. Huxley
A. Klug
V. Luzzati
M. F. Moody
S. M. Weissman

VOLUME 143

15 October to 15 November 1980

ACADEMIC PRESS
London New York San Francisco

/301
/3

Copyright © 1980, by Academic Press Inc. (London) Ltd.

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

CONTENTS OF VOLUME 143

Number 1, 15 October 1980

Weinstein, S., Wallace, B. A., Morrow, J. S. and Veatch, W. R., Conformation of the Gramicidin A Transmembrane Channel: A ^{13}C Nuclear Magnetic Resonance Study of ^{13}C-enriched Gramicidin in Phosphatidylcholine Vesicles 1

Yen, C., Green, L. and Miller, C. G., Degradation of Intracellular Protein in *Salmonella typhimurium* Peptidase Mutants 21

Yen, C., Green, L. and Miller, C. G., Peptide Accumulation During Growth of Peptidase Deficient Mutants 35

Leslie, A. G. W., Arnott, S., Chandrasekaran, R. and Ratliff, R. L., Polymorphism of DNA Double Helices 49

Kilbane, J. J. and Malamy, M. H., F Factor Mobilization of Non-conjugative Chimeric Plasmids in *Escherichia coli*: General Mechanisms and a Role for Site-specific *recA*-independent Recombination at *oriV1* 73

Janin, J. and Chothia, C., Packing of α-Helices onto β-Pleated Sheets and the Anatomy of α/β Proteins 95

Reisler, E., Smith, C. and Seegan, G., Myosin Minifilaments 129

Letters to the Editor

Pöschl, E. and Streeck, R. E., Prototype Sequence of Bovine 1·720 Satellite DNA 147

Hamoir, G., Gerardin-Otthiers, N. and Focant, B., Protein Differentiation of the Superfast Swimbladder Muscle of the Toadfish *Opsanus tau* 155

Number 2, 25 October 1980

Sanger, F., Coulson, A. R., Barrell, B. G., Smith, A. J. H. and Roe, B. A., Cloning in Single-stranded Bacteriophage as an Aid to Rapid DNA Sequencing 161

Carter, C. J. and Cannon, M., Maturation of Ribosomal Precursor RNA in *Saccharomyces cerevisiae*: A Mutant with a Defect in Both the Transport and Terminal Processing of the 20 S Species . . 179

LINDQVIST, Y. and BRÄNDÉN, C.-I., Structure of Glycolate Oxidase from Spinach at a Resolution of 5·5 Å 201

MIURA, S. and MORIMOTO, H., Electron Paramagnetic Resonance Study of Intersubunit Interactions in Nitrosyl-Deoxy Asymmetrical Hybrid Haemoglobin 213

LETTER TO THE EDITOR

NAREBOR, E., SLINGSBY, C., LINDLEY, P. F. and BLUNDELL, T. L., Preliminary X-ray Crystallographic Study of the Turkey Lens Protein, δ-Crystallin 223

NUMBER 3, 5 NOVEMBER 1980

GEGENHEIMER, P. and APIRION, D., Structural Characterization and *In vitro* Processing of *Escherichia coli* Ribosomal RNA Transcripts Containing 5′ Triphosphates, Leader Sequences 16 S rRNA, and Spacer tRNAs . 227

VAN EMMELO, J., DEVOS, R., YSEBAERT, M. and FIERS, W., Construction and Characterization of a Plasmid Containing a Nearly Full-size DNA Copy of Satellite Tobacco Necrosis Virus RNA 259

YSEBAERT, M., VAN EMMELO, J. and FIERS, W., Total Nucleotide Sequence of a Nearly Full-size DNA Copy of Satellite Tobacco Necrosis Virus RNA 273

PAINTER, R. B., Effect of Caffeine on DNA Synthesis in Irradiated and Unirradiated Mammalian Cells 289

CONKLING, M. A., KOCH, R. E. and DRAKE, J. W., Determination of Mutation Rates in Bacteriophage T4 by Unneighborly Base Pairs: Genetic Analysis 303

MOVVA, N. R., NAKAMURA, K. and INOUYE, M., Gene Structure of the OmpA Protein, a Major Surface Protein of *Escherichia coli* Required for Cell–Cell Interaction 317

LETTERS TO THE EDITOR

WEISEL, J. W., TOONEY, N. M., KAPLAN, I., AMRANI, D. and COHEN, C., Segments from Modified Human Fibrinogen 329

CHRISTIE, G. E. and PLATT, T., A Functional Hybrid Ribosome Binding Site in Tryptophan Operon Messenger RNA of *Escherichia coli* . 335

NUMBER 4, 15 NOVEMBER 1980

SKLAR, R. and STRAUSS, B., Role of the *uvrE* Gene Product and of Inducible O^6-Methylguanine Removal in the Induction of Mutations by *N*-Methyl-*N'*-nitro-*N*-nitrosoguanidine in *Escherichia coli* 343

QUINTRELL, N., HUGHES, S. H., VARMUS, H. E. and BISHOP, J. M., Structure of Viral DNA and RNA in Mammalian Cells Infected with Avian Sarcoma Virus 363

KIRSCHNER, K., SZADKOWSKI, H., HENSCHEN, A. and LOTTSPEICH, F., Limited Proteolysis of *N*-(5'-phosphoribosyl)anthranilate Isomerase: Indoleglycerol Phosphate Synthase from *Escherichia coli* Yields two Different Enzymically Active, Functional Domains 395

LETTERS TO THE EDITOR

VEATCH, W. R. and DURKIN, J. T., Binding of Thallium and Other Cations to the Gramicidin A Channel. Equilibrium Dialysis Study of Gramicidin in Phosphatidylcholine Vesicles . . . 411

PAIN, D. and SUROLIA, A., A New Approach for Quantitation of Receptors and their Ligands 419

Index to Volume 143

α/β protein anatomy and the packing of α-helices onto β-pleated sheets, 95
Avian sarcoma virus (see also Virus), 363
AMRANI, D. (see also WEISEL, J. W.), 329
APIRION, D. (see also GEGENHEIMER, P.), 227
ARNOTT, S. (see also LESLIE, A. G. W.), 49

Bacteriophage, single-stranded, cloning as an aid to rapid DNA sequencing, 161
— T4, determination of mutation rates by unneighborly base pairs; genetic analysis, 303
BARRELL, B. G. (see also SANGER, F.), 161
Base pairs, unneighborly, and the determination of mutation rates in bacteriophage T4; genetic analysis, 303
β-pleated sheet packing of α-helices and the anatomy of α/β proteins, 95
Binding site, ribosome, hybrid, functional, in tryptophan operon mRNA of *Escherichia coli*, 335
— of thallium and other cations to the gramicidin A channel. Equilibrium dialysis study of gramicidin in phosphatidylcholine vesicles, 411
BISHOP, J. M. (see also QUINTRELL, N.), 363
BLUNDELL, T. L. (see also NAREBOR, E.), 223
Bovine 1·720 satellite DNA prototype sequence, 147
BRÄNDÉN, C.-I. (see also LINDQVIST, Y.), 201

^{13}C n.m.r. study of ^{13}C-enriched gramicidin in phosphatidylcholine vesicles; conformation of the gramicidin A transmembrane channel, 1
Caffeine, effect on DNA synthesis in irradiated and unirradiated mammalian cells, 289
CANNON, M. (see also CARTER, C. J.), 179
CARTER, C. J. & CANNON, M., Maturation of ribosomal precursor RNA in *Saccharomyces cerevisiae*: a mutant with defect in both the transport and terminal processing of the 20 S species, 179
CHANDRASEKARAN, R. (see also LESLIE, A. G. W.), 49
CHOTHIA, C. (see also JANIN, J.), 95
CHRISTIE, G. E. & PLATT, T., A functional hybrid ribosome binding site in tryptophan operon mRNA of *Escherichia coli*, 335
Cloning in single-stranded bacteriophage as an aid to rapid DNA sequencing, 161
COHEN, C. (see also WEISEL, J. W.), 329
Conformation of the gramicidin A transmembrane channel: a ^{13}C n.m.r. study of ^{13}C-enriched gramicidin in phosphatidylcholine vesicles, 1
CONKLING, M. A., KOCH, R. E. & DRAKE, J. W., Determination of mutation rates in bacteriophage T4 by unneighborly base pairs: genetic analysis, 303
COULSON, A. R. (see also SANGER, F.), 161
δ-Crystallin, turkey lens protein, preliminary X-ray crystallographic study, 223
Crystallographic X-ray study, preliminary, of the turkey lens protein, δ-crystallin, 223

Degradation of intracellular protein in *Salmonella typhimurium* peptidase mutants, 21
DNA, bovine 1·720 satellite, prototype sequence, 147
— copy, nearly full-size, of satellite tobacco necrosis virus RNA, construction and characterization of a plasmid containing the copy, 259
— — — — — — — — — — — — total nucleotide sequence, 273
DNA double helix polymorphism, 49
— and RNA structure in mammalian cells infected with avian sarcoma virus, 363
— sequencing, rapid, aided by cloning in single-stranded bacteriophage, 161
DNA synthesis in irradiated and unirradiated mammalian cells, effect of caffeine, 289
DEVOS, R. (see also VAN EMMELO, J.), 259
DRAKE, J. W. (see also CONKLING, M. A.), 303
DURKIN, J. T. (see also VEATCH, W. R.), 411

Electron paramagnetic resonance study of intersubunit interactions in nitrosyl-deoxy asymmetrical hybrid haemoglobin, 213

Escherichia coli, F factor mobilization of non-conjugative chimeric plasmids: general mechanisms and a role for site-specific *recA*-independent recombination at *oriV1*, 73
— — a functional hybrid ribosome binding site in tryptophan operon mRNA, 335
— — gene structure of the ompA protein, a major surface protein required for cell–cell interaction, 317
— — limited proteolysis of *N*-(5′-phosphoribosyl)anthranilate isomerase: indoleglycerol phosphate synthase yields two different enzymically active, functional domains, 395
— — ribosomal RNA transcripts containing 5′ triphosphates, leader sequences, 16 S rRNA, and spacer tRNAs, structural characterization and *in vitro* processing, 227
— — role of the *uvr*E gene product and of inducible O^6-methylguanine removal in the induction of mutations by *N*-methyl-*N*′-nitro-nitrosoguanidine, 343

F factor mobilization of non-conjugative chimeric plasmids in *Escherichia coli*: general mechanisms and a role for site-specific *recA*-independent recombination at *oriV1*, 73
Fibrinogen, human, modified, study of segments, 329
FIERS, W. (see also VAN EMMELO, J.), 259
— — (see also YSEBAERT, M.), 273
FOCANT, B. (see also HAMOIR, G.), 155

GEGENHEIMER, P. & APIRION, D., Structural characterization and *in vitro* processing of *Escherichia coli* ribosomal RNA transcripts containing 5′ triphosphates, leader sequences 16 S rRNA, and spacer tRNAs, 227
Gene structure of the ompA protein, a major surface protein of *Escherichia coli* required for cell–cell interactions, 317
Genetic analysis of mutation rate determination in bacteriophage T4 by unneighborly base pairs, 303
GERARDIN-OTTHIERS, N. (see also HAMOIR, G.), 155
Glycolate oxidase from spinach, structure at a resolution of 5·5 Å, 201
Gramicidin A channel, binding of thallium and other cations; equilibrium dialysis study of gramicidin in phosphatidylcholine vesicles, 411
— A transmembrane channel, conformation: a ^{13}C n.m.r. study of ^{13}C-enriched gramicidin in phosphatidylcholine vesicles, 1
GREEN, L. (see also YEN, C.), 21, 35

Haemoglobin, hybrid, nitrosyl-deoxy asymmetrical, electron paramagnetic resonance study of intersubunit interactions, 213
HAMOIR, G., GERARDIN-OTTHIERS, N. & FOCANT, B., Protein differentiation of the superfast swimbladder muscle of the toadfish *Opsanus tau*, 155
Helices, double, of DNA, a study of polymorphism, 49
α-Helix packing onto β-pleated sheets and the anatomy of α/β proteins, 95
HENSCHEN, A. (see also KIRSCHNER, K.), 395
HUGHES, S. H. (see also QUINTRELL, N.), 363
Human fibrinogen, modified, segments, 329
Hybrid haemoglobin, nitrosyl-deoxy asymmetrical, electron paramagnetic resonance study of intersubunit interactions, 213
— ribosome binding site, functional, in tryptophan operon messenger RNA of *Escherichia coli*, 335

INOUYE, M. (see also MOVVA, N. R.), 317
Irradiated and unirradiated mammalian cells, effect of caffeine on DNA synthesis, 289

JANIN, J. & CHOTHIA, C., Packing of α-helices onto β-pleated sheets and the anatomy of α/β proteins, 95

KAPLAN, I. (see also WEISEL, J. W.), 329
KILBANE, J. J. & MALAMY, M. H., F factor mobilization of non-conjugative chimeric plasmids in *Escherichia coli*: general mechanisms and a role for site-specific *recA*-independent recombination at *oriV1*, 73
KIRSCHNER, K., SZADKOWSKI, H., HENSCHEN, A. & LOTTSPEICH, F., Limited proteolysis of *N*-(5′-phosphoribosyl) anthranilate isomerase: indoleglycerol phosphate synthase from *Escherichia coli* yields two different enzymically active, functional domains, 395
KOCH, R. E. (see also CONKLING, M. A.), 303

Leader sequences, 5′ triphosphates, 16 S rRNA, and spacer tRNAs contained in *Escherichia coli* ribosomal RNA transcripts; structural characterization and *in vitro* processing, 227

Lens protein, δ-crystallin, of turkey, preliminary X-ray crystallographic study, 223
LESLIE, A. G. W., ARNOTT, S., CHANDRASEKARAN, R. & RATLIFF, R. L., Polymorphism of DNA double helices, 49
Ligand and receptor quantitation, a new approach, 419
LINDLEY, P. F. (see also NAREBOR, E.), 223
LINDQVIST, Y. & BRÄNDÉN, C.-I., Structure of glycolate oxidase from spinach at a resolution of 5·5 Å, 201
LOTTSPEICH, F. (see also KIRSCHNER, K.), 395

MALAMY, M. H. (see also KILBANE, J. J.), 73
Mammalian cells infected with avian sarcoma virus, structure of viral DNA and RNA, 363
— — irradiated and unirradiated, effect of caffeine on DNA synthesis, 289
Maturation of ribosomal precursor RNA in *Saccharomyces cerevisiae*: a mutant with a defect in both the transport and terminal processing of the 20 S species, 179
Messenger RNA of tryptophan operon of *Escherichia coli*; a functional hybrid ribosome binding site, 335
MILLER, C. G. (see also YEN, C.), 21, 35
Minifilaments of myosin, 129
MIURA, S. & MORIMOTO, H., Electron paramagnetic resonance study of intersubunit interactions in nitrosyl-deoxy asymmetrical hybrid haemoglobin, 213
Mobilization, F factor, of non-conjugative chimeric plasmids in *Escherichia coli*: general mechanisms and a role for site-specific *recA*-independent recombination at *oriV1*, 73
MOVVA, N. R., NAKAMURA, K. & INOUYE, M., Gene structure of the ompA protein, a major surface protein of *Escherichia coli* required for cell–cell interaction, 317
MORIMOTO, H. (see also MIURA, S.), 213
MORROW, J. S. (see also WEINSTEIN, S.), 1
Muscle, superfast swimbladder, of the toadfish *Opsanus tau*: protein differentiation, 155
Mutant with a defect in both the transport and terminal processing of the 20 S species; maturation of ribosomal precursor RNA in *Saccharomyces cerevisiae*, 179
Mutants, peptidase, of *Salmonella typhimurium*, degradation of intracellular protein, 21
— — deficient, peptide accumulation during growth, 35
— induction by *N*-methyl-*N'*-nitro-*N*-nitrosoguanidine in *Escherichia coli*, role of the *uvr*E gene product and of inducible O^6-methylguanine removal, 343
— rate determination in bacteriophage T4 by unneighborly base pairs; genetic analysis, 303
Myosin minifilaments, 129

NAKAMURA, K. (see also MOVVA, N. R.), 317
NAREBOR, E., SLINGSBY, C., LINDLEY, P. F. & BLUNDELL, T. L., Preliminary X-ray crystallographic study of the turkey lens protein, δ-crystallin, 223
N-methyl-*N'*-nitro-*N*-nitrosoguanidine, role of the *uvr*E gene product and of inducible O^6-methylguanine removal in its induction of mutations in *Escherichia coli*, 343
N-(5′-phosphoribosyl)anthranilate isomerase: indoleglycerol phosphate synthase from *Escherichia coli*, limited proteolysis yields two different enzymically active, functional domains, 395
Nitrosyl-deoxy asymmetrical hybrid haemoglobin, electron paramagnetic resonance study of intersubunit interactions, 213
Nuclear magnetic resonance study of ^{13}C-enriched gramicidin in phosphatidylcholine vesicles; conformation of the gramicidin A transmembrane channel, 1

O^6-methylguanine removal, inducible, and the *uvr*E gene product, their role in the induction of mutations by *N*-methyl-*N'*-nitro-*N*-nitrosoguanidine in *Escherichia coli*, 343
OmpA protein, a major surface protein of *Escherichia coli* required for cell–cell interaction, determination of the gene structure, 317
Opsanus tau, toadfish, protein differentiation of the superfast swimbladder muscle, 155
oriV1 site-specific *recA*-independent recombination; F factor mobilization of non-conjugative chimeric plasmids in *Escherichia coli*, 73

Packing of α-helices onto β-pleated sheets and the anatomy of α/β proteins, 95
PAIN, D. & SUROLIA, A., A new approach for quantitation of receptors and their ligands, 419
PAINTER, R. B., Effect of caffeine on DNA synthesis in irradiated and unirradiated mammalian cells, 289
Peptidase deficient mutants, peptide accumulation during growth, 35
— mutants of *Salmonella typhimurium*, degradation of intracellular protein, 21

Peptide accumulation during growth of peptidase deficient mutants, 35
Phosphatidylcholine vesicles, a ^{13}C n.m.r. study of ^{13}C-enriched gramicidin; conformation of the gramicidin A transmembrane channel, 1
Phosphatidylcholine vesicles, equilibrium dialysis study of gramicidin. Binding of thallium and other cations to the gramicidin A channel, 411
Plasmid containing a nearly full-size DNA copy of satellite tobacco necrosis virus RNA, construction and characterization, 259
Plasmids, chimeric, non-conjugative, F factor mobilization in *Escherichia coli*: general mechanisms and a role for site-specific *recA*-independent recombination at *oriV1*, 73
PLATT, T. (see also CHRISTIE, G. E.), 335
Polymorphism of DNA double helices, 49
PÖSCHL, E. & STREECK, R. E., Prototype sequence of bovine 1·720 satellite DNA, 147
Precursor ribosomal RNA maturation in *Saccharomyces cerevisiae*: a mutant with a defect in both the transport and terminal processing of the 20 S species, 179
Protein differentiation of the superfast swimbladder muscle of the toadfish *Opsanus tau*, 155
— intracellular, degradation in *Salmonella typhimurium* peptidase mutants, 21
— lens, δ-crystallin, of turkey, preliminary X-ray crystallographic study, 223
— ompA, a major surface protein of *Escherichia coli* required for cell–cell interaction, determination of the gene structure, 317
Proteins, α/β, their anatomy and the packing of α-helices onto β-pleated sheets, 95
Proteolysis, limited, of *N*-(5′-phosphoribosyl)anthranilate isomerase: indoleglycerol phosphate synthase from *Escherichia coli* yields two different enzymically active, functional domains, 395

QUINTRELL, N., HUGHES, S. H., VARMUS, H. E. & BISHOP, J. M., Structure of viral DNA and RNA in mammalian cells infected with avian sarcoma virus, 363

RATLIFF, R. L. (see also LESLIE, A. G. W.), 49
recA-independent recombination, site-specific, at *oriV1*; F factor mobilization of non-conjugative chimeric plasmids in *Escherichia coli*, 73
Receptor and ligand quantitation, a new approach, 419
Recombination, *recA*-independent, site-specific, at *oriV1*; F factor mobilization of non-conjugative chimeric plasmids in *Escherichia coli*, 73
REISLER, E., SMITH, C. & SEEGAN, G., Myosin minifilaments, 129
RNA and DNA structure in mammalian cells infected with avian sarcoma virus, 363
— precursor, ribosomal, maturation in *Saccharomyces cerevisiae*: a mutant with a defect in both the transport and terminal processing of the 20 S species, 179
— satellite tobacco necrosis virus, construction and characterization of a plasmid containing a nearly full-size DNA copy, 259
— — — — — total nucleotide sequence of a nearly full-size DNA copy, 273
— transcripts, ribosomal, of *Escherichia coli*, containing 5′ triphosphates, leader sequences, 16 S rRNA, and spacer tRNAs, structural characterization and *in vitro* processing, 227
Ribosomal precursor RNA maturation in *Saccharomyces cerevisiae*: a mutant with a defect in both the transport and terminal processing of the 20 S species, 179
— RNA transcripts, of *Escherichia coli*, containing 5′ triphosphates, leader sequences, 16 S rRNA, and spacer tRNAs, structural characterization and *in vitro* processing, 227
Ribosome binding site, hybrid, functional, in tryptophan operon mRNA of *Escherichia coli*, 335
ROE, B. A. (see also SANGER, F.), 161

Saccharomyces cerevisiae, maturation of ribosomal precursor RNA: a mutant with a defect in both the transport and terminal processing of the 20 S species, 179
Salmonella typhimurium, degradation of intracellular protein in peptidase mutants, 21
SANGER, F., COULSON, A. R., BARRELL, B. G., SMITH, A. J. H. & ROE, B. A., Cloning in single-stranded bacteriophage as an aid to rapid DNA sequencing, 161
Satellite DNA, bovine 1·720, prototype sequence, 147
— tobacco necrosis virus (see also Virus), 259, 273
SEEGAN, G. (see also REISLER, E.), 129
Segments from modified human fibrinogen, 329
Sequence, prototype, of bovine 1·720 satellite DNA, 147
— total nucleotide, of a nearly full-size DNA copy of satellite tobacco necrosis virus RNA, 273
Sequencing, rapid, of DNA is aided by cloning in single-stranded bacteriophage, 161

SKLAR, R. & STRAUSS, B., Role of the *uvr*E gene product and of inducible O^6-methylguanine removal in the induction of mutations by *N*-methyl-*N'*-nitro-*N*-nitrosoguanidine in *Escherichia coli*, 343
SLINGSBY, C. (see also NAREBOR, E.), 223
SMITH, A. J. H. (see also SANGER, F.), 161
— C. (see also REISLER, E.), 129
Spacer tRNAs, 5′ triphosphates, leader sequences, and 16 S rRNA contained in *Escherichia coli* ribosomal RNA transcripts; structural characterization and *in vitro* processing, 227
Spinach glycolate oxidase, structure at a resolution of 5·5 Å, 201
STRAUSS, B. (see also SKLAR, R.), 343
STREECK, R. E. (see also PÖSCHL, E.), 147
Structural characterization and *in vitro* processing of *Escherichia coli* ribosomal RNA transcripts containing 5′ triphosphates, leader sequences, 16 S rRNA, and spacer tRNAs, 227
Structure of the gene for the ompA protein, a major surface protein of *Escherichia coli* required for cell–cell interaction, 317
— — glycolate oxidase from spinach at a resolution of 5·5 Å, 201
— — viral DNA and RNA in mammalian cells infected with avian sarcoma virus, 363
SUROLIA, A. (see also PAIN, D.), 419
Swimbladder, muscle, superfast, of the toadfish *Opsanus tau*: protein differentiation, 155
SZADKOWSKI, H. (see also KIRSCHNER, K.), 395
T4 (see also Bacteriophage), 303
Thallium and other cations, binding to the gramicidin A channel. Equilibrium dialysis study of gramicidin in phosphatidylcholine vesicles, 411
Toadfish *Opsanus tau*, protein differentiation of the superfast swimbladder muscle, 155
Tobacco necrosis virus, satellite (see also Virus), 259, 273
TOONEY, N. M. (see also WEISEL, J. W.), 329
Triphosphates, 5′, leader sequences, 16 S rRNA, and spacer tRNAs contained in *Escherichia coli* ribosomal RNA transcripts; structural characterization and *in vitro* processing, 227
Tryptophan operon mRNA of *Escherichia coli*, a functional hybrid ribosome binding site, 335
Turkey lens protein, δ-crystallin, preliminary X-ray crystallographic study, 223

*uvr*E gene product and inducible O^6-methylguanine removal, their role in the induction of mutations by *N*-methyl-*N'*-nitro-*N*-nitrosoguanidine in *Escherichia coli*, 343

VAN EMMELO, J., DEVOS, R., YSEBAERT, M. & FIERS, W., Construction and characterization of a plasmid containing a nearly full-size DNA copy of satellite tobacco necrosis virus RNA, 259
VAN EMMELO, J. (see also YSEBAERT, M.), 273
VARMUS, H. E. (see also QUINTRELL, N.), 363
VEATCH, W. R. & DURKIN, J. T., Binding of thallium and other cations to the gramicidin A channel. Equilibrium dialysis study of gramicidin in phosphatidylcholine vesicles, 411
— — (see also WEINSTEIN, S.), 1
Virus, avian sarcoma, structure of viral DNA and RNA in infected mammalian cells, 363
— satellite tobacco necrosis, construction and characterization of a plasmid containing a nearly full-size DNA copy of virus RNA, 259
— — tobacco necrosis, total nucleotide sequence of a nearly full-size DNA copy of virus RNA, 273

WALLACE, B. A. (see also WEINSTEIN, S.), 1
WEINSTEIN, S., WALLACE, B. A., MORROW, J. S. & VEATCH, W. R., Conformation of the gramicidin A transmembrane channel: a ^{13}C nuclear magnetic resonance study of ^{13}C-enriched gramicidin in phosphatidylcholine vesicles, 1
WEISEL, J. W., TOONEY, N. M., KAPLAN, I., AMRANI, D. & COHEN, C., Segments from modified human fibrinogen, 329

X-ray crystallographic study, preliminary, of the turkey lens protein, δ-crystallin, 223

YEN, C., GREEN, L. & MILLER, C. G., Degradation of intracellular protein in *Salmonella typhimurium* peptidase mutants, 21
— — — — — — — — Peptide accumulation during growth of peptidase deficient mutants, 35
YSEBAERT, M., VAN EMMELO, J. & FIERS, W., Total nucleotide sequence of a nearly full-size DNA copy of satellite tobacco necrosis virus RNA, 273
— — (see also VAN EMMELO, J.), 259